



HPLC skab



HPLC cabinet

HPLC SKAB HPLC CABINET



HPLC skab
 m. lys
 lydisoleret
 HPLC cabinet
 with light
 sound insulated

HPLC VOGN HPLC CART



HPLC vogn
 aluminium
 med 1/3 + fuld hylde
 spildbakke RF
 HPLC cart
 aluminium
 with 1/3 + full shelf
 spill-catcher tray, stainless steel

Højde	Height	Bredde	Width	Varenummer	Item no.
1200	47 1/4	800	31 1/2	580 01	20080


Højde	Height	Længde	Length	Varenummer	Item no.
1090	42 7/8	770	30 3/8	5800120001	

Sugeborde

Down draught tables

SUGEBORD TIL STEL


DOWN DRAUGHT TABLE FOR FRAME



Stålbordplade m. sug
til placering på stel
studs D = 160 mm
Steel worktop with exhaust
to be placed on table frame
exhaust flange D = 6 1/4"

BAG BACK

	Dybde Depth	Bredde Width	Varenr. Item no.
fast rør fixed pipe	850 33 1/2	900 35 3/8	73571 85090 1
		1200 47 1/4	73571 85120 1
flexrør flex pipe	850 33 1/2	900 35 3/8	73571 85090 2
		1200 47 1/4	73571 85120 2



Stålbordplade m. sug
til placering på stel
studs D = 160 mm
Steel worktop with exhaust
to be placed on table frame
exhaust flange D = 6 1/4"

VENSTRE LEFT


	Dybde Depth	Bredde Width	Varenr. Item no.
fast rør fixed pipe	650 25 5/8	900 35 3/8	73572 65090 140
		1200 47 1/4	73572 65120 140
flexrør flex pipe	650 25 5/8	900 35 3/8	73572 65090 240
		1200 47 1/4	73572 65120 240

HØJRE RIGHT

	Dybde Depth	Bredde Width	Varenr. Item no.
fast rør fixed pipe	650 25 5/8	900 35 3/8	73572 65090 120
		1200 47 1/4	73572 65120 120
flexrør flex pipe	650 25 5/8	900 35 3/8	73572 65090 220
		1200 47 1/4	73572 65120 220

SUGEBORD TIL BORD

DOWN DRAUGHT TABLE FOR TABLE



Sugebord
til placering på bordplade
studs diameter 160 mm
Down draught table
to be placed on table frame
exhaust flange diameter 6 1/4"

VENSTRE LEFT

	Dybde Depth	Bredde Width	Varenr. Item no.
fast rør fixed pipe	510 20 1/8	810 31 7/8	73573 51081 140
flexrør flex pipe	510 20 1/8	810 31 7/8	73573 51081 240

HØJRE RIGHT

	Dybde Depth	Bredde Width	Varenr. Item no.
fast rør fixed pipe	510 20 1/8	810 31 7/8	73573 51081 120
flexrør flex pipe	510 20 1/8	810 31 7/8	73573 51081 220


BORDSTEL TABLE FRAME

Bordstel
til sugebord til stel
h = 900 mm
Table frame
for down draught for frame
h = 35 3/8"

Dybde	Depth	Bredde	Width	Varenummr. Item no.
614	24 1/8	898	35 3/8	4101690090
		1198	47 1/8	4101690120
664	26 1/8	898	35 3/8	4101790090
		1198	47 1/8	4101790120

SUGEBORD TIL ILÆGNING

DOWN DRAUGHT TABLE FOR INSERT



Sugebord
til ilægning i bordplade
studs diameter 160 mm
Down draught table
for insert in worktop
exhaust flange diameter 6 1/4"

VENSTRE LEFT

	Dybde Depth	Bredde Width	Varenr. Item no.
fast rør fixed pipe	570 22 1/2	850 33 1/2	73574 57085 140
		1050 41 3/8	73574 57105 140
flexrør flex pipe	570 22 1/2	850 33 1/2	73574 57085 240
		1050 41 3/8	73574 57105 240

HØJRE RIGHT

	Dybde Depth	Bredde Width	Varenr. Item no.
fast rør fixed pipe	570 22 1/2	850 33 1/2	73574 57085 120
		1050 41 3/8	73574 57105 120
flexrør flex pipe	570 22 1/2	850 33 1/2	73574 57085 220
		1050 41 3/8	73574 57105 220

SUGESKÆRM SUCTION SHIELD



Sugeskærm
til placering over sugebord
acryl
h = 500 mm
Suction shield
placed over down draught table
acrylic
h = 21 5/8"

Dybde	Depth	Bredde	Width	Varenummer	Item no.
495	19 1/2	600	23 5/8	73578	50060
		800	31 1/2	73578	50080

MANOMETER MANOMETER

Manometer
til sugebord
model m-700PA, MARK II
Manometer
for down draught table
model m-700PA, MARK II


Varenummer	Item no.
7357	900

Alle sugeborde leveres med 1000 mm rør
All down draught tables are delivered with 39 3/8" pipe

Operationsbord

Operation table

OPERATIONSBORD OPERATION TABLE



Operationsbord
eksklusiv bordplade
el-højdejustérbar
højde: 750-1100 mm

Operation table
exclusive worktop
electrical height adjustable
height: 29 1/2-43 1/4"

Dybde	Depth	Bredde	Width	Varenummer	Item no.
750	29 1/2	1500	59	7377	75150
900	35 3/8	1500	59	7377	90150

BORDPLADE WORKTOP

Bordplade til operationsbord
corian
Worktop for operation table
corian


Dybde	Depth	Bredde	Width	Varenummer	Item no.
750	29 1/2	1500	59	6390	75150
900	35 3/8	1500	59	6390	90150

Punktsug, JRV

Point exhaust, JRV

FRONTMONTERET FRONT MOUNTED

Frontmonteret sugearm
hvid
Front mounted point exhaust
white




Diameter	Diameter	Længde	Length	Varenummer	Item no.
100	3 7/8	700	27 1/2	73531	17100
		1000	39 3/8	73531	11100
125	4 7/8	700	27 1/2	73531	17125
		1000	39 3/8	73531	11125

Frontmonteret demonterbar
sugearm, hvid
inklusive prop
Front mounted detachable
point exhaust, white
inclusive blind cover

Diameter	Diameter	Længde	Length	Varenummer	Item no.
100	3 7/8	700	27 1/2	73531	27100
		1000	39 3/8	73531	21100
125	4 7/8	700	27 1/2	73531	27125
		1000	39 3/8	73531	21125

VÆGMONTERET WALL MOUNTED


Vægmonteret sugearm
hvid
Wall mounted point exhaust
white



Diameter	Diameter	Længde	Length	Varenummer	Item no.
100	3 7/8	700	27 1/2	73531	37100
		1000	39 3/8	73531	31100
125	4 7/8	700	27 1/2	73531	37125
		1000	39 3/8	73531	31125

SUGEHOVED HOOD

Sugehoved, polycarbonat
diameter 410 mm
Hood, polycarbonate
diameter 16 1/8"



Diameter	Diameter	Varenummer	Item no.
100	3 7/8	73531	7410100
125	4 7/8	73531	7410125


EKSTRA SUGESTED EXTRA SUCTION POINT

Ekstra sugested, demonterbar
inklusive prop
Extra suction point, detachable
inclusive blind cover

Diameter	Diameter	Varenummer	Item no.
100	3 7/8	73531	8100
125	4 7/8	73531	8125

LOFTMONTERET CEILING MOUNTED

Loftmonteret sugearm
hvid
Ceiling mounted point exhaust
white



drejeradius 160° action radius 160°


Diameter	Diameter	Længde	Length	Varenummer	Item no.
100	3 7/8	700	27 1/2	73531	47100160
		1000	39 3/8	73531	41100160
125	4 7/8	700	27 1/2	73531	47125160
		1000	39 3/8	73531	41125160

drejeradius 360° action radius 360°

Diameter	Diameter	Længde	Length	Varenummer	Item no.
100	3 7/8	700	27 1/2	73531	47100360
		1000	39 3/8	73531	41100360
125	4 7/8	700	27 1/2	73531	47125360
		1000	39 3/8	73531	41125360

PROP BLIND COVER


Prop
Blind cover



Diameter	Diameter	Varenummer	Item no.
100	3 7/8	73531	9100
125	4 7/8	73531	9125

SPJÆLD DAMPER HOOD

Spjæld i sugehoved til sugearm
Damper hood for point exhaust




Diameter	Diameter	Varenummer	Item no.
100	3 7/8	73531	6100
125	4 7/8	73531	6125

Punktsug, Alsident

Point exhaust, Alsident

BORDMONTERET TABLE MOUNTED

Bordmonteret sugearm
hvid
Table mounted point exhaust
white



2-LEDS 2-JOINTS


Diameter	Diameter	Længde	Length	Varenummer	Item no.
50	2	475	18 3/4	73532	53715
		575	22 5/8	73532	54715
75	3	400	15 3/4	73532	73515
		500	19 5/8	73532	74515
		600	23 5/8	73532	75515

3-LEDS 3-JOINTS

Diameter	Diameter	Længde	Length	Varenummer	Item no.
50	2	550	21 5/8	73532	5372715
		750	29 1/2	73532	5473715
		950	37 3/8	73532	5574715
		1350	53 1/8	73532	5874715
75	3	550	21 5/8	73532	7353515
		900	35 3/8	73532	7554515

VÆGMONTERET WALL MOUNTED

Vægmonteret sugearm
hvid
Wall mounted point exhaust
white



2-LEDS 2-JOINTS


Diameter	Diameter	Længde	Length	Varenummer	Item no.
50	2	475	18 3/4	73532	53725
		575	22 5/8	73532	54725

3-LEDS 3-JOINTS

Diameter	Diameter	Længde	Length	Varenummer	Item no.
50	2	550	21 5/8	73532	5372725
		750	29 1/2	73532	5473725
		850	33 1/2	73532	5476725
		950	37 3/8	73532	5574725
		1350	53 1/8	73532	5874725
		75	3	550	21 5/8
75	3	950	37 3/8	73532	7554525
		1000	39 3/8	73532	7359025
		1050	41 3/8	73532	7655525
		1400	55 1/8	73532	7906525
		1400	55 1/8	73532	1906525

LOFTSMONTERET CEILING MOUNTED

Loftsmonteret sugearm
hvid
Ceiling mounted point exhaust
white



3-LEDS 3-JOINTS


Diameter	Diameter	Længde	Length	Varenummer	Item no.
50	2	750	29 1/2	73532	5473735
		850	33 1/2	73532	5476735
		950	37 3/8	73532	5574735
		1350	53 1/8	73532	5874735
75	3	900	35 3/8	73532	7554535
		1000	39 3/8	73532	7359035
		1050	41 3/8	73532	7655535
		1400	55 1/8	73532	7906535
100	3 7/8	1400	55 1/8	73532	1906535
		1800	70 7/8	73532	11058535

Punktsug, Alsident

Point exhaust, Alsident

SKÆRM HOOD

Skærm
hvid
Hood
white



diameter 200 mm
diameter 7 7/8"


Diameter	Diameter	Varenummer	Item no.
50	2	73532 1 50 245	
75	3	73532 1 75 245	
100	3 7/8	73532 1 100 245	

diameter 385
diameter 15 1/8"

Diameter	Diameter	Varenummer	Item no.
50	2	73532 1 50 355	
75	3	73532 1 75 355	

SKÆRM HOOD

Skærm
hvid
Hood
white



Bredde	Width	Længde	Length	Varenummer	Item no.
248	11 5/8	PC 296	11 5/8	73532 1 50 24225	
320	12 5/8	PP+PC 420	16 1/2	73532 1 75 42325	

VÆGBESLAG WALL BRACKET

Vægbeslag
hvid
Wall bracket
white

Diameter	Diameter	Varenummer	Item no.
50	2	73532 2 50 20	
75	3	73532 2 75 25	
100	3 7/8	73532 2 100 35	

SUGESPIDS EXTRACTOR TUBE

Sugespids
aloxeret aluminium
Extractor tube
anodized aluminium

Diameter	Diameter	Længde	Length	Varenummer	Item no.
50	2	210	8 1/4	73532 1 50 21	
		310	12 1/4	73532 1 50 31	
100	3 7/8	250	9 7/8	73532 1 75 25	

BORDBESLAG TABLE BRACKET

Bordbeslag
hvid
Table bracket
white

Diameter	Diameter	Varenummer	Item no.
50	2	73532 2 50 10	
75	3	73532 2 75 10	

SOKKELKASSE LOFT CEILING COLUMN


Sokkelkasse loft
hvid
Ceiling column
white

Diameter	Diameter	Længde	Length	Varenummer	Item no.
50 & 75	2 & 3	250	9 7/8	73532 2 25 0	
		500	19 5/8	73532 2 50 0	
		750	29 1/2	73532 2 75 0	
		1000	39 3/8	73532 2 100 0	
100	3 7/8	500	19 5/8	73532 2 100 500	

LAF-bænke

Biosafety cabinets

GOLDEN LINE GOLDEN LINE



Biowizard Golden Line

klasse II

leveret med dobbelt stik (venstre) UV-stik (venstre) og gas armatur (højre)


Biowizard Golden Line

class II

delivered with double electric outlet (left) UV-outlet (left) and gas tap (right)

	Bredde indvendig	Width inside	Bredde udvendig	Width outside	Varenummer	Item no.
KR-Biowizard 100	885	34 7/8	975	38 3/8	7341	11100
KR-Biowizard 130	1190	46 7/8	1280	50 3/8	7341	11130
KR-Biowizard 170	1535	60 3/8	1625	64	7341	11170
KR-Biowizard 200	1840	72 1/2	1930	76	7341	11200

SILVER LINE SILVER LINE



Biowizard Silver Line

klasse II

leveret med dobbelt stik (venstre) UV-stik (venstre) og gas armatur (højre)


Biowizard Silver Line

class II

delivered with double electric outlet (left) UV-outlet (left) and gas tap (right)

	Bredde indvendig	Width inside	Bredde udvendig	Width outside	Varenummer	Item no.
S KR-Biowizard 130	1190	46 7/8	1280	50 3/8	7341	12130
S KR-Biowizard 200	1840	72 1/2	1930	76	7341	12200

BIOWIZARD BIOWIZARD



Biowizard


klasse II

Biowizard

class II

	Bredde indvendig	Width inside	Bredde udvendig	Width outside	Varenummer	Item no.
KR-Biowizard 100	885	34 7/8	975	38 3/8	7341	10100
KR-Biowizard 130	1190	46 7/8	1280	50 3/8	7341	10130
KR-Biowizard 170	1535	60 3/8	1625	64	7341	10170
KR-Biowizard 200	1840	72 1/2	1930	76	7341	10200

KBS KBS



LAF-bænk med 3 filtre

Biosafety cabinet with 3 filters

	Bredde indvendig	Width inside	Bredde udvendig	Width outside	Varenummer	Item no.
KBS-105	885	34 7/8	975	38 3/8	7341	13100
KBS-125	1190	46 7/8	1280	50 3/8	7341	13130
KBS-160	1535	60 3/8	1625	64	7341	13170
KBS-210	1840	72 1/2	1930	76	7341	13200

ARMATUR TAP

Armatur til Golden Line & Biowizard

placeret i bagvæggen

Taps for Golden Line & Biowizard placed in the backwall

VENSTRE SIDE PLACED LEFT

	Varenummer	Item no.
til gas		
for gas	7341	750820
til CO2		
for CO2	7341	751820
til trykluft		
for compressed air	7341	751320
til vacuum		
for vacuum	7341	750720

HØJRE SIDE PLACED RIGHT

	Varenummer	Item no.
til gas		
for gas	7341	750840
til CO2		
for CO2	7341	751840
til trykluft		
for compressed air	7341	751340
til vacuum		
for vacuum	7341	750740

STATIV ELEKTRISK BENCH FRAME ELECTRICAL

Stativ til Golden Line
elektrisk hæve/sænke
[Bench frame for Golden Line](#)
electrical height adjustable

	Varenummer	Item no.
til KR-Biowizard 100 for KR-Biowizard 100	7341	25100
til KR-Biowizard 130 for KR-Biowizard 130	7341	25120
til KR-Biowizard 170 for KR-Biowizard 170	7341	25170
til KR-Biowizard 200 for KR-Biowizard 200	7341	25200

SAMSTYRING CONTROLE FOR VENTILATION

Samstyring for ventilation
[Control for ventilation](#)

Varenummer	Item no.
	7341 9980

EL-STIK SOCKET

El-stik til Golden Line & Biowizard
monteres i bagvæg
[Socket for Golden Line & Biowizard](#)
for mouting in back wall

	Varenummer	Item no.
enkelt, placeret i venstre side single, placed left	7341	74011020
enkelt, placeret i højre side single, placed right	7341	74011040
dobbelt, placeret i venstre side double, placed left	7341	74012020
dobbelt, placeret i højre side double, placed right	7341	74012040

UV LYS UV-LIGHT

UV-lys
30W magnetisk (15W for KR-100)
for alle modeller
monteres på bagvæggen
[UV light](#)
30W magnetic (15W for KR-100)
for alle models
for mounting on the backwall

Varenummer	Item no.
	7341 74009900

AFKASTMODUL EXHAUST FITTING

Afkastmodul
[Exhaust fitting](#)

	Varenummer	Item no.
til KR-Biowizard 100 og 130 for KR-Biowizard 100 and 130	7341	73100
til KR-Biowizard 170 for KR-Biowizard 170	7341	73170
til KR-Biowizard 200 for KR-Biowizard 200	7341	73200

TILBAGESLAGSMODUL BLOW BACK VALVE

Tilbageslagsmodul
[Blow back valve](#)

	Diameter	Varenr. Item no.
til KR-Biowizard 100 og 130 for KR-Biowizard 100 and 130	160 6 1/4	7341 72100
til KR-Biowizard 170 og 200 for KR-Biowizard 170 and 200	200 7 7/8	7341 72170